

Fig. 1




Fig. 2




Fig. 3




Fig. 4A




Fig. 4B




Fig. 4C




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11A




Fig. 11B

Line 1	Article A		Article B		Article C		Article D		Article E	
	First Main Component	Second Main Component	First Main Component	Second Main Component	First Main Component	Second Main Component	First Main Component	Second Main Component	First Main Component	Second Main Component
Average (m)	430.2	285.1	474.9	-505.5	203.2	-7.1	438.3	-134.7	506.6	326.2
Standard Deviation (σ)	23.3	20.7	16.2	36.7	16.1	19.2	20.3	37.0	29.9	24.1
5 σ	116.7	103.7	81.2	183.5	80.7	96.2	101.3	184.9	149.4	120.7
m + 5 σ	547.0	388.8	556.1	-322.0	283.9	89.1	539.6	50.3	656.0	446.9
m - 5 σ	313.5	181.4	393.7	-689.0	122.5	-103.3	337.0	-319.6	357.1	205.5

Fig. 12A




Fig. 12B

Line 2	Article A		Article B		Article C		Article D		Article E	
	First Main Component	Second Main Component	First Main Component	Second Main Component	First Main Component	Second Main Component	First Main Component	Second Main Component	First Main Component	Second Main Component
Average (m)	396.7	237.4	382.3	-431.1	174.4	-0.2	383.1	-127.9	478.5	260.7
Standard Deviation (σ)	21.0	16.5	15.5	33.0	16.4	17.9	16.9	28.1	24.0	17.5
5 σ	105.1	82.6	77.4	165.2	81.9	89.4	84.7	140.3	119.9	87.3
m + 5 σ	501.8	320.0	459.8	265.8	256.3	89.2	467.9	12.4	598.3	348.0
m - 5 σ	291.6	154.9	304.9	-596.3	92.6	-89.6	298.4	-268.1	358.6	173.4



Fig. 13




Fig. 14




Fig. 15




Fig. 16A




Fig. 16B




Fig. 17




Fig. 18A




Fig. 18B

